



NEWTON SERVER FRAME (NSF84)

Modified:02/03/2011






SHELF, VENTED, 4-POINT MOUNTING

Phone: (919) 575-6426 Fax: (919) 575-4708 www.eNewton.com

Modified:10/07/2009



Notes:

- Xx = finish code; standard finish, xx = 30.
- Vent holes shown are representative of entire shelf hole pattern.
- Mounting ears are adjustable on 1" centers.

			_		
	Part	Number	Α	В	С
	211	85501xx	× 24"	16-35/64"	18-15/16"
6	211	85502x>	c 24"	20-35/64"	22-15/16"
ərin	211	85503xx	۲ 16"	16-35/64"	18-15/16"
Ordering	211	85504xx	(22-1/2	" 16-35/64"	18-15/16"
0	211	85505xx	24"	25-19/64"	27-15/16"
	211	85506x>	c 21"	16-35/64"	18-15/16"
		0			
	Item	Qty	Descriptio	n	
	1	1	shelf		

WTON

INSTRUMENT COMPANY

2

3

4

16


bracket

12-24 x 3/8 shhms

VENTED SHELF, FIXED

ADJUSTABLE SHELF KIT FOR SERVER FRAME

Modified:11/23/2010




Modified:12/28/2009

	Part Number	Α	В
ole	21391801xx	19"	15"
Table	21391802xx	23"	15"
ring	21391803xx	19"	22"
Ordering	21391804xx	23"	22"
ō			



4-Post Frames


Modified:10/06/2009




	Part Number	Width
ele	22235401xx	19"
Table		
Ordering ¹		
'der		
ō		

Notes:

- Solid shelf
- 17-1/2" wide x 38" deep
- Cage nuts not included
- Mounting ears are adjustable on 1" centers



SERVER FRAME SHELF, VENTED




UNIVERSAL/CARD STORAGE CABINET, 72" HEIGHT

Phone: (919) 575-6426 Fax: (919) 575-4708 www.eNewton.com

Modified:11/04/2009

NTON

INSTRUMENT COMPANY




	Part Number	assembly
ຄ	00600200xx	welded
Ordering	00600250xx	riveted
Drde		

Notes:

- PATENT NO. 5,008,779
- Xx= finish code; standard finish, xx=73 (beige). Other colors available upon request.
- Cabinet includes 8 adjustable shelves (fig. 006005) And two fixed shelves, creating eight storage spaces (refer to fig. 006000).
- Refer to accessories for additional shelves.
- Cabinet includes door lock.
- Cabinet is equipped with levelers on all four corners.
- Floor anchored (for hardware, refer to accessories).
- Each card shelf has 27 slots spaced on 5/8" centers and accepts cards up to 20" deep.
- Card guides contain electrostatic dissipative properties.
- Both dash numbers are **form, fit and functionaly** identical. The rived version is a *cost effective alternative.*

GENERAL INFORMATION; ADJUSTING UNIVERSAL SHELF




Notes:

- PATENT NO. 5,008,779
- Universal Shelf Fits All Newton Universal Card/Storage Cabinets.
- Shelf Mounting Slots Are 3/4" Apart. Shelf Slides Into Slot And Is Held In Place With Two 8-32 Self-Tapping Screws. From This Fixed Position, Top Of Shelf With Card Guides Will Move 3/4" Upward By Sliding Knobs To The Right. With Slots 3/4" Apart And 3/4" Fine Adjustment, This Cabinet Will Accept Cards Of All Heights.
- Each Card Shelf Has 27 Slots Spaced On 5/8" Centers And Accepts Cards Up To 20" Deep.



UNIVERSAL CARD/STORAGE CABINET, 42" HEIGHT

Modified:09/22/2009






Phone: (919) 575-6426 Fax: (919) 575-4708 www.eNewton.com

CABINET, 26" H X 28" W X 15" D

Modified:01/23/2017



- Includes solid front door, solid rear panel, and two louvered side panels. ٠
- Reversible uprights for 19" or 23" equipment mounting. ٠
- Floor or wall mountable. Mounting hardware not included. •


D4




STABILIZING BRACKET INSULATION KIT FOR HALF AND FULL HEIGHT CABINET

Modified:09/22/2009

4-Post Frames





Notes:


Insulator material is rated ul 94 v-1 and has an oxygen index rating of greater than 29.

Qty


4

Modified:10/08/2009





Modified:09/22/2009




Part Number Item Qty Description 0060050010 1 1 shelf assembly 2 2 8-32 x 1/2 sts

Notes:

- PATENT NO. 5,008,779
- Standard finish is zinc plated and gold chromate.
 - Adjustable shelf fits all newton universal card/ storage cabinets.
- To mount in cabinet, slide into slots along sides of cabinet. Self-tapping screws hold shelf in place. (Refer to 006000).
- Shelf will adjust up to 3/4" by moving knobs in slots (to the right up, to the left - down); refer to 006000.

Modified:09/22/2009





- Card guide slots are mounted on bottom of Shelf only.
- To mount in cabinet, slide into slots along sides of Cabinet. Self-tapping screws hold shelf in place.

220

FLAT SURFACE SHELF

MAGNETIC TAPE REEL STORAGE SHELF






Notes:

- Standard finish is zinc plated and gold chromate.
- Holds up to 14 10-1/2" tape reels of all cartridge types. Shelf fits all newton universal card/storage Cabinets.
- To mount in cabinet, slide into slots along sides of Cabinet. Self-tapping screws hold shelf in place.
- Tape reels not included.

CARD RETAINER

Modified:09/22/2009




	Part	Number	
b	0060	009001	1
Ordering			
Ōŗ			
_			I
	Item	Qty	De
st	ltem 1	Qty 2	De wii
k List			
Stock List	1	2	wi


D4




4-Post Frames

Modified:09/22/2009








Notes:

- Xx= finish code; standard finish, xx= 73 (beige). Other colors available upon request.
- To mount in cabinet, slide into slots along sides of cabinet. Drawer fits all newton universal card/storage cabinets.
- Card guide slots are mounted on bottom of fixed drawer housing.
- Drawer slides have stops located at full open position.

DOCUMENT POCKET




Notes:

- Xx= finish code; standard finish, xx=73 (beige).
- Document pocket is attached using sheet metal
- Screws provided.
- Pocket is 9-1/2" w x 9" h x 1" d.

FLOOR ANCHOR KIT

Modified:09/22/2009



Modified:10/15/2009

223

Phone: (919) 575-6426 Fax: (919) 575-4708 www.eNewton.com

Modified:09/22/2009

		part number
	5	00601300xx
	rdering	
	Drde	

	Item	Qty	Description
	1	2	wall anchor bracket
st	2	4	1/4-20 x 3/4 carriage bolt
Stock List	3	4	1/4 x 20 flat washer
itoc	4	4	1/4-20 lock washer
0	5	4	1/4-20 hhn
	6	1	wall mtg bracket


VTO

INSTRUMENT COMPANY

Notes:

- Xx= finish code; standard finish, xx= 73 (beige). Other colors available upon request.
- Wall attachment hardware is ordered separately (refer to section 3000).
- For insulation kit refer to 006017.

STABILIZING BRACKET FOR 36" OR 72" HEIGHT CABINET



O0601400xx


	Item	Qty	Description
	1	2	wall anchor bracket
List	2	4	1/4"-20 x 3/4" carriage bolt
Stock Lis	3	4	1/4"-20 flat washer
Sto	4	4	1/4"-20 lock washer
	5	4	1/4"-20 hhn

Notes:

.

- Xx= finish code; standard finish, xx= 73 (beige). Other colors available on request.
 - Wall attachment hardware is ordered separately.

FLOOR INSULATION KIT



Item Qty Description 1 1 insulator pad 2 4 bushings Image: Second Seco		part	number	
Item Qty Description 1 1 insulator pad 2 4 bushings	ĝ	006	015000	0
Item Qty Description 1 1 insulator pad 2 4 bushings	lerir			_
1 1 insulator pad 2 4 bushings	Ord			
1 1 insulator pad 2 4 bushings				
2 4 bushings		ltem	Qty	Description
		1	1	insulator pad
	List	2	4	bushings
	ock			
Notes:	<u>e</u>			
Notes:	S			
	S			

 Insulator material is rated u.L. 94 V-1 and has an oxygen index of greater than 29.

Modified:09/22/2009

Modified:04/02/2013



NOTES: